

WORDCAMP MONTREAL

Joey Kudish

Partnership Engineer at Automattic (we're hiring!)

jkudish.com

@jkudish

WORDPRESS, APIS AND YOU!

**THESE SLIDES ARE AT
SLIDES.JKUDISH.COM**

WORDPRESS AS AN APPLICATION PLATFORM

BUT WHY?

- ▶ **allows you to integrate data + features from WordPress into any application**
 - ▶ **build static sites/apps that just pull data in via ajax**
 - ▶ **use WordPress as your data storage**
 - ▶ **json RESTful API**
- ▶ **works with any language/platform as long as it can make HTTP requests**

	2012	2013
CMS	68%	69%
Blog/CMS	25%	20%
Blog	7%	6%
App Platform	-	7%

What do you use WordPress for?



Hello, Lola

680 Points Log Out



Home



My Badges



Get Rewards



My Profile

Get Rewards

- All
- Limited Time
- Limited Qty
- Bookmarked

How do I claim rewards?



Discount in the Museum Store
 Receive a 10% discount on your entire Museum Store purchase.

CLAIM FOR 500 Points



Discount in the DMA Cafe
 Receive a 10% discount on your entire DMA Cafe purchase. Excludes alcohol.

CLAIM FOR 500 Points




Free Parking
 Level 1, 2, or 3—how about parking for FREE!

1,000 Points



One Free Ticket to a DMA Lecture or Film
 Receive one free admission to a ticketed DMA lecture or film.

2,000 Points



Free Catalogue
 Receive a free copy of the DMA's centennial publication, Dallas Museum of Art 100 Years

2,500 Points




[View In iTunes](#)

⊕ This app is designed for both iPhone and iPad

Free

Category: [Social Networking](#)

Updated: Apr 15, 2014

Version: 4.0.2

Size: 14.4 MB

Languages: English, Bokmål, Norwegian, Croatian, Danish, Dutch, French, German, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Thai, Traditional Chinese, Turkish

Seller: Automattic, Inc.

© Automattic Inc

Rated 4+

Compatibility: Requires iOS 7.0 or later. Compatible with iPhone, iPad, and iPod touch. This app is optimized for iPhone 5.

Description

It's easy to manage your WordPress blog or site from your iOS device. With WordPress for iOS, you can moderate comments, create or edit posts and pages, view stats, and add images or videos with ease. All you need is a WordPress.com blog or a self-hosted WordPress.org site running 3.6 or higher.

[Automatic Web Site](#) ▶ [WordPress Support](#) ▶

[...More](#)

What's New in Version 4.0.2


Fixed a bug where users were unable to schedule posts.

Screenshots

iPhone | iPad



How To Be a WordPress.com Detective



Google play

Search



Sign in



Apps

My apps

Shop

Games

Editors' Choice



WordPress

Automattic, Inc - May 1, 2014

Social



Install



Add to Wishlist

★★★★☆ (36,582)

Top Developer





Post Title

Add Media

Visual

Text



p

STATUS
Publish

PUBLISH
Immediately

SHARING
Facebook, Twitter, Path

TAGS & CATEGORIES

LOCATION

FEATURED IMAGE

EXCERPT

ADVANCED SETTINGS

Preview

Publish





What's on your mind?

I'm with...

I'm at...

Share on: f t W ☆ 🔒

Q W E R T Y U I O P
A S D F G H J K L
↑ Z X C V B N M ↵
123 🌐 🎤 space return



Wordpress.com

Disconnect




Last.fm

Connect

Close

Share

 Evernote >

 Facebook >

 Kippt >


 LinkedIn >

 Pinboard >

 Reddit >

 StumbleUpon >

 Tumblr >

 Twitter >

 WordPress >

APPS

[Browse Recipes](#)[Sign in](#)[Join](#)

WordPress Channel

IFTTT enables you to connect the WordPress Channel to 100 different Channels. [View all Channels](#)



WordPress is an open source blog tool and publishing platform. [WordPress.com](#) is a hosted weblog provider brought to you by some of the same folks who work on the open source blogging software.

[Activate](#)

Popular WordPress Recipes




Application

Application Interface


API

HTTP


Client



to_resource()
from_resource()



application/x-collection
application/x-resource



Application Data Model

Resource Model

Server

Client

JAVASCRIPT OBJECT NOTATION INTERCHANGE FORMAT (JSON.ORG)

```
"posts": [  
  {  
    "id": 1,  
    "type": "post",  
    "slug": "hello-world",  
    "url": "http://localhost/wordpress/?p=1",  
    "title": "Hello world!",  
    "content": "...",  
    "date": "2009-11-11 12:50:19",  
    "modified": "2009-11-11 12:50:19",  
    "categories": [],  
    "tags": [],  
    "author": {  
      "id": 1,  
      "slug": "jkudish",  
      "name": "jkudish",  
      "first_name": "Joey",  
      "last_name": "Kudish",  
    },  
    "comments": [],  
  }  
]
```


WHAT ARE MY OPTIONS?

JSON-API PLUGIN

- ▶ Established the longest amount of time
- ▶ Well maintained but just a single plugin author
 - ▶ Relies on a plugin
 - ▶ Easiest to setup for basic requests
- ▶ No authentication provided, relies on login cookies

WHAT CAN YOU DO WITH THE JSON-API?

- ▶ **Add along `?json=1` to any URL to obtain the results in JSON**
- ▶ **GET site info, posts, taxonomies, authors, comments, widgets,**
 - ▶ **Expandable via hooks and filters**

IMPLICIT MODE EXAMPLE:

[HTTP://WWW.EXAMPLE.ORG/?JSON=1](http://www.example.org/?JSON=1)

```
{
  "status": "ok",
  "count": 1,
  "count_total": 1,
  "pages": 1,
  "posts": [
    {
      "id": 1,
      "type": "post",
      "slug": "hello-world",
      "url": "http://localhost/wordpress/?p=1",
      "title": "Hello world!",
      "title_plain": "Hello world!",
      "content": "<p>Welcome to WordPress. This is your first post. Edit or delete it, then start blogging!</p>\n",
      "excerpt": "Welcome to WordPress. This is your first post. Edit or delete it, then start blogging!\n",
      "date": "2009-11-11 12:50:19",
      "modified": "2009-11-11 12:50:19",
      "categories": [],
      "tags": [],
      "author": {
        "id": 1,
        "slug": "admin",
        "name": "admin",
        "first_name": "",
        "last_name": "",
        "nickname": "",
        "url": "",
        "description": ""
      },
      "comments": [
        {
          "id": 1,
          "name": "Mr WordPress",
          "url": "http://wordpress.org/",
          "date": "2009-11-11 12:50:19",
          "content": "<p>Hi, this is a comment.<br \>To delete a comment, just log in and view the post's comments. There you will have the option to edit or delete them.</p>\n",
          "parent": 0
        }
      ],
      "comment_count": 1,
      "comment_status": "open"
    }
  ]
}
```

OTHER POSSIBLE REQUESTS

`http://www.example.org/?json=get_recent_posts`

`http://www.example.org/?json=get_post&post_id=47`

`http://www.example.org/api/get_recent_posts/`

`http://www.example.org/api/get_tag_posts/?tag_slug=banana`

WP-API

- ▶ **Backed by the core team**
- ▶ **Scheduled for release in core in WordPress 4.1**
 - ▶ **Great infrastructure already**
 - ▶ **WP CLI**
- ▶ **No real world/large scale implementations yet**
- ▶ **Uses cookies or oauth1 for authentication**

WHAT CAN YOU DO WITH THE WP-API?

- ▶ **Retrieve and create/update site info, posts, users, taxonomies, comments, post meta, revisions, media**
 - ▶ **Truly restful (uses GET, POST, PUT, DELETE)**
- ▶ **Typical route is `/wp-json/**object**/**id**`**
 - ▶ **Expandable via hooks and filters**

GET /wp-json/posts

```
[{
  "ID": 110,
  "title": "Testing sticky",
  "status": "publish",
  "type": "post",
  "author": {},
  "content": "<p>this should be stuck as a post. Stuck on you.</p>\n",
  "link": "http://local.wpapi.dev/testing-sticky/",
  "date": "2014-06-02T10:47:39-05:00",
  "modified": "2014-06-02T10:47:39-05:00",
  "format": "standard",
  "slug": "testing-sticky-2",
  "guid": "http://local.wpapi.dev/testing-sticky-2/",
  "excerpt": "<p>this should be stuck as a post. Stuck on you.</p>\n",
  "comment_status": "open",
  "sticky": true,
  "meta": {},
  "featured_image": null,
  "terms": {}
}]
```

ROLL YOUR OWN

- ▶ **By far the most flexible, but likely the most work**
- ▶ **Probably not re-usable and will require maintenance**
- ▶ **WordPress has a ton of helper functions to make this easy**
 - ▶ **Authentication may or may not be straightforward**
 - ▶ **You can run any query/any functions**

```
// this is a really basic JSON API
// it's not really RESTful though...

// this action will only run for logged-in users
// use wp_ajax_nopriv for logged out users
add_action( 'wp_ajax_wordcamp_montreal', function(){
    $args = json_decode( $_POST['args'] );
    // don't forget to validate/sanitize

    $result = new WP_Query( $args );
    if ( is_wp_error( $result ) ) {
        wp_send_json_error( $result );
        exit;
    }

    wp_send_json_success( $result );
});
```

WORDPRESS.COM / JETPACK API

- ▶ **works with WordPress.com and Jetpack-enabled WP.org blogs (since 1.9+! now at 3.1.1)**
 - ▶ **uses oauth2 for authentication**
 - ▶ **insights/stats into your own app usage**
- ▶ **many real world implementations out there**
 - ▶ **most mature and complete API**

WHAT CAN YOU DO WITH THE JETPACK API?

- ▶ **user info, site info**
- ▶ **create, edit, delete, find, reblog, and view posts (includes CPTs, post meta & media)**
 - ▶ **create, edit, delete, find, and view comments**
 - ▶ **search & related posts**
 - ▶ **taxonomies (categories/tags & custom ones too)**

WHAT CAN YOU DO WITH THE JETPACK API?

- ▶ likes & following/subscribing to a blog
- ▶ WordPress.com Freshly Pressed content
 - ▶ notifications
 - ▶ stats
 - ▶ WordPress.com reader
 - ▶ your own app's insights

**MANAGE YOUR APPS AT
DEVELOPER.WORDPRESS.COM/APPS/**

My Applications

Create New Application



WordPress.com Test Application

The best app you will ever use.

[View Insights](#) | [Manage Application](#)

BASIC EXAMPLE: GET THE CURRENT USER

`https://public-api.wordpress.com/rest/v1/me`

```
// PHP example
$options = array(
    'http' =>
    array(
        'ignore_errors' => true,
        'header' => array(
            'authorization: Bearer ' . **$access_token**,
        ),
    ),
);

$context = stream_context_create( $options );
$response = file_get_contents( 'https://public-api.wordpress.com/rest/v1/me', false, $context );

$reponse = json_decode( $response );
```

GET <https://public-api.wordpress.com/rest/v1/me>

```
{
  "ID": 10916751,
  "display_name": "Joey Kudish",
  "username": "jkudish",
  "email": "jkudish@automattic.com",
  "primary_blog": 21221610,
  "token_site_id": false,
  "avatar_URL": "https://2.gravatar.com/avatar/e3b86944dc95b3f722798bc3a74fe11d?s=96&d=identicon",
  "profile_URL": "http://en.gravatar.com/jkudish",
  "verified": true,
  "meta": {
    "links": {
      "self": "https://public-api.wordpress.com/rest/v1/me",
      "help": "https://public-api.wordpress.com/rest/v1/me/help",
      "site": "https://public-api.wordpress.com/rest/v1/sites/5836086"
    }
  }
}
```

Documentation

Getting started with WordPress.com development is easy. Our data is exposed via a REST Application Programming Interface (API) and uses the OAuth2 protocol for authentication.

Ready to start developing your application? Great! [Create a new application](#); you'll need to provide some basic information about your application and then you'll receive an OAuth2 token for use in your application.

In addition to the REST API, we also support additional integrations & partnerships. Take a look at our documentation!

Browse by Topic

API

- [REST API](#)
- [OAuth Authentication](#)
- [Developer Console](#)
- [oEmbed Provider API](#)

W Follow 2,209

Recent Posts: [Developer Resources](#)

[A brand new Developer Site](#)
[Introducing WordPress.com Insights](#)

[An efficient alternative to paging with SQL OFFSETs](#)

Top Posts & Pages

[Home](#)

[REST API Resources](#)

Follow

REFERENCE

SITES

GET /sites/\$site

Information about a site ID/domain

POSTS

GET /sites/\$site/posts/

Return matching Posts

GET /sites/\$site/posts/\$post_ID

Return a single Post (by ID)

POST /sites/\$site/posts/\$post_ID

Edit a Post

PATH

Raw

\$site

3584907

QUERY

Raw

http_envelope

pretty

meta

fields

callback

GET /sites/3584907

142 ms 200

Structured Pretty Raw

ID : 3584907

name : "WordPress.com News"

description : "The latest news on WordPress.com and the WordPress community."

URL : "http://en.blog.wordpress.com"

jetpack :

post_count : 1088

subscribers_count : 11057944

lang : "en"

visible : true


is_private :

is_following :

▶ meta : Object

Reset

Submit



REFERENCE

Delete a Tag

USERS

GET /sites/\$site/users
List the Users of a blog

GET /me
Meta data about auth token's User

INSIGHTS

GET /insights

Reset Submit

GET /me

115 ms 200

Structured Pretty Raw

```

ID : 37509286
display_name : "jkudishtester"
username : "jkudishtester"
email : "jkudish+tester@automattic.com"
primary_blog : 47778568
token_site_id :
avatar_URL : "https://0.gravatar.com/avatar/3d947a9ae6f1518c54582a371a07630e?s=96&d=identicon"
profile_URL : "http://en.gravatar.com/jkudishtester"
verified : true
meta : Object

```

Name	Path
<input type="checkbox"/> me?http_envelope=1&public-api.wordpress.com/rest/v1	
<input type="checkbox"/> admin-ajax.php	/wp-admin

- Open Link in New Tab
- Copy Link Address
- Copy Response Headers
- Copy Response
- Copy as cURL
- Copy All as HAR
- Save as HAR with Content
- Clear Browser Cache
- Clear Browser Cookies
- Replay XHR

Headers Preview Response Cookies Timing

Remote Address: 127.0.0.1:8080

```

https://public-api.wordpress.com/rest/v1/me?http_envelope=1&
Method: GET
Status: 200 OK
Content-Type: application/json
Accept: application/json, text/javascript, */*; q=0.01
Accept-Encoding: gzip, deflate, sdch
Accept-Language: en-US,en;q=0.8,fr;q=0.6
Cookie: X-WPCOOKIE=5d42b5d0ca28cf193a24f8cb182f5f51:1:https://developer.wordpress.com;
optimizelySegments=%7B%22178845731%22%3A%22false%22%2C%22178855892%22%3A%22gc%22%2C%22179190226%22%3A%22direct%22%7D;
optimizelyBuckets=%7B%22752261871%22%3A%22944620430%22%7D;
__utma=214977736.1277407286.1399092027.1399092027.1399092027.1;
__utmb=214977736.1.10.1399092027;
__utmc=214977736;
__utmz=214977736.1399092027.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none);
km_ai=5b92cSfdeS5Vx5i63UMA4Q3ohMw%3D;
wordpress_test_cookie=WP+Cookie+check;
wordpress_logged_in=jkudishtester%7C1493700029%7Cec4c77d9b44c7fcf17f88a4b720cd704;
_wpdash=5e8de6ed02b7488410826f7f;
wpcom-browser-extension-promos-chrome=1399092029;
wordpress_eli=1;
_ga=GA1.2.1277407286.1399092027;
kvcd=1399092032845;
km_ni=jkudishtester;
km_lv=1399092033;
km_uq=;
wpc_wpc=acco

```

2 requests | 1.9 KB transferred

**GitHub**

This repository ▾

Search or type a command

[Explore](#)[Features](#)[Enterprise](#)[Blog](#)[Sign up](#)[Sign in](#)

PUBLIC

**Automattic / rest-api-console**

★ Star

5

🍴 Fork

4

WordPress.com REST API Developer Console

📄 6 commits

🌿 1 branch

📦 0 releases

👤 2 contributors



🌿 branch: master ▾

rest-api-console / +

Typo fix

**codebykat** authored 18 days ago

latest commit 604fe21e01

📁 css

initial commit of a console that works with CORS

a month ago

📁 js

initial commit of a console that works with CORS

a month ago

📄 README.md

Typo fix

18 days ago

📄 config.sample.json

initial commit of a console that works with CORS

a month ago

📄 index.html

initial commit of a console that works with CORS

a month ago

📄 README.md

WordPress.com REST API Developer

<> Code

🔔 Issues

0

🔗 Pull Requests

0

📶 Pulse


📊 Graphs

🌐 Network

HTTPS clone URL

 You can clone with [HTTPS](#) or [Subversion](#). [Clone in Desktop](#)[Download ZIP](#)

API Overview



Today's API Numbers

API Calls

↑5% 10,323

Posts

↑14.5% 1,053

Likes On Published Posts

↑0% 93

Tools

- Developer Console
- Create New App
- Share
- Documentation
- Insights Help

Daily

Weekly

Monthly


Cumulative

Start

End

Calls

Export



10,323 Daily

↑5% since yesterday

64,760 Weekly

↑19.2% since last week

235,581 Monthly

↑22.1% since last month

1,666,541 Yearly

↑11338.2% since last year

Using the REST API from JavaScript & the Browser (CORS)

HTTPS://DEVELOPER.WORDPRESS.COM/DOCS/REST-API-JAVASCRIPT/

Documentation → Using the REST API from JavaScript & the Browser (CORS)

The REST API can be used directly from the browser using Javascript. If you whitelist the domains you want to use for your application, we will send the correct CORS headers. Both authenticated and unauthenticated calls are supported. To make authenticated requests follow the instructions of the OAuth documentation to get an access token.

On this page:

[Retrieving an Access Token](#)

[Making an API Call](#)

All examples use jQuery.

Unauthenticated Requests

You can make unauthenticated GET requests with no additional work. Just make a simple HTTP request:

Authentication

- [OAuth2 Authentication](#)

Users

- [List the Users of a blog](#)
- [Meta data about auth token's User](#)



GitHub

This repository ▾

Search or type a command



Explore

Features

Enterprise

Blog

Sign up

Sign in

PUBLIC



Automattic / sulfur

★ Star

22

🍴 Fork

4

Media manager written for the WordPress.com & Jetpack REST API.

🕒 172 commits

🌿 2 branches

🏷️ 0 releases

👤 7 contributors



🌿 branch: master ▾

sulfur / +



safari bug



kellychoffman authored 10 days ago

latest commit 7f2c37a116

📁 app

safari bug

10 days ago

📁 css

Safari bug fix

a month ago

📁 fonts

Add JS files needed, and bootstrap.

a month ago

📁 images

New auth page

a month ago

📁 js

add momentjs for formatting the date

a month ago

📄 .gitignore

safari bug

10 days ago

📄 README.md

Update README.md

a month ago

📄 index.html

New auth page

a month ago

📖 README.md

🔗 Code

🔔 Issues

1

🔗 Pull Requests

1

📊 Pulse

📊 Graphs

🌐 Network

HTTPS clone URL

<https://github.com> You can clone with [HTTPS](#) or [Subversion](#).

🖥️ Clone in Desktop

📄 Download ZIP

WordPress JSON API Comparison

The purpose of this document is to compare the WordPress JSON REST API (WP API) to the other WordPress JSON API projects. Included in this comparison are the [WordPress.com JSON REST API](#) that is available as part of [JetPack](#), and the [XML-RPC API](#), which is built into WordPress Core.

Functionality

Key

<https://github.com/WP-API/WP-API/blob/master/docs/comparison.md>

- M: Multisite only
- P: Available via (official) plugin
- ~: Partially available

Authentication

Feature	WP API	WP.com JSON API	XML-RPC API
Cookie-based	X		
Basic authentication	P		X
OAuth1	X		
OAuth2		X	

THE FUTURE IS LOOKING BRIGHT

- ▶ **moar endpoints. Everything you can do in wp-admin should be do-able from the WP.com API**
- ▶ **more how-to's and sample apps on the developer site (tell us what you want to see!)**
 - ▶ **WP-API to be released in core (probably 4.1)**
 - ▶ **wp-admin as a JavaScript app?**

I'M LOST, WHAT ARE MY RESOURCES?

- ▶ **WP.com resources at developer.wordpress.com**
 - ▶ **WP-API resources at wp-api.org**
 - ▶ **Tweet us @AutomatticEng.**
- ▶ **Contact form (we reply within a day usually)
developer.wordpress.com/contact.**
- ▶ **Email me directly: jkudish@automattic.com.**

ASK ME ANYTHING + DISCUSSION

- ▶ **REST API/Developer resources**
 - ▶ **WordPress.com/Jetpack**
 - ▶ **WordPress development at large**
- ▶ **Working remotely (and travelling while doing it!)**
 - ▶ **Automattic**
 - ▶ **Beagles**